Brain Research, 413 (1987) 409–411
Elsevier

Author Index

Ahdieh, H.B., see Bonneau, M., 104
Allard, L.R., see Gysling, K., 365
Alonso, A., Gaztelu, J.M., Buño Jr., W. and García-Austt, E., Cross-correlation analysis of septohippocampal neurons during θ-rhythm, 135
Amato, G., see Piazza, P.V., 356
Apostolides, P.J., see Finkelstein, S.P., 267
Asanuma, H., see Sakamoto, T., 360

Baranyi, A., see Szente, M., 368
Beinfeld, M.C., see Gysling, K., 365
Benigno, A., see Piazza, P.V., 356
Benowitz, L.I., see Finkelstein, S.P., 267
Berkley, K.J., see Elam, J.S., 129
Blake, M.J., Stein, E.A. and Czech, D.A., Drinking-induced alterations in reward pathways: an in vivo autoradiographic analysis, 111
Bonneau, M., Ahdieh, H.B., Thornton, J.E. and Feder, H.H., Cystosol androgen receptors in guinea pig brain and pituitary, 104
Brown, M.R., see Lenz, H.J., 1
Buño Jr., W., see Alonso, A., 135

Cawkwell, R.D., see Keep, R.F., 45
Chen, Y.-F., Jin, H., Gist, R. and Oparil, S., Altered responsiveness of regional brain dopamine and DOPAC levels to systemic administration of quinpirole, a dopamine D2 agonist, in DOCA/NaCl-hypertensive rats, 15
Comincioli, V., see Rindi, G., 23
Contos, N., see Elam, J.S., 129
Crescimanno, G., see Piazza, P.V., 356
Cynader, M.S., see Gardner, J.C., 60
Czech, D.A., see Blake, M.J., 111

Daley III, J.C., see Stanton, T.L., 350
Dean, P., see Redgrave, P., 170
De Blas, A.L. and Sotelo, C., Localization of benzodiazepine-like molecules in the rat brain. A light and electron microscopy immunocytochemistry study with an anti-benzodiazepine monoclonal antibody, 285
De Blas, A.L., Park, D. and Friedrich, P., Endogenous benzodiazepine-like molecules in the human, rat and bovine brains studied with a monoclonal antibody to benzodiazepines, 275
Delbende, C., see Jégou, S., 259
Delrec, P., see Lefebvre, P.P., 120
D'Eramo, J.L., see Kertesz, E., 10
Desan, P.H., Gruberg, E.R., Grewell, K.M. and Eckenstein, F., Cholinergic innervation of the optic tectum in the frog *Rana pipiens*, 344
Dickenson, A.H., Sullivan, A.F., Knox, R., Zajac, J.M. and Roques, B.P., Opioid receptor subtypes in the rat spinal cord: electrophysiological studies with μ- and δ-opioid receptor agonists in the control of nociception, 36

Eckenstein, F., see Desan, P.H., 344
Eckenstein, F., see Kubota, Y., 179
Elam, J.S., Contos, N. and Berkley, K.J., Differences in the efficiency and pattern of incorporation of [^{3}H]leucine and [^{3}H]proline into proteins of adult cat brain, 129

Famiglietti, E.V., Starburst amacrine cells in cat retina are associated with bistratified, presumed directionally selective, ganglion cells, 404
Famiglietti, E.V. and Tumosa, N., Immunocytochemical staining of cholinergic amacrine cells in rabbit retina, 398
Feder, H.H., see Bonneau, M., 104
Ferdico, M., see Piazza, P.V., 356
Finkelstein, S.P., Benowitz, L.I., Olson, A.J., Perrone-Bizzozero, N.I., Majocha, R.E. and Apostolides, P.J., Conditioned media from the injured lower vertebrate CNS promote neurite outgrowth from mammalian brain neurons in vitro, 267
Finsen, B., see Sørensen, T., 392
Friedrich, P., see De Blas, A.L., 275
Fujii, K., see Sadoshima, S., 297
Fujishima, M., see Sadoshima, S., 297
Fukuda, M., see Nishino, H., 302
Fukui, Y., see Matsubara, K., 336
Fukushima, S., see Matsubara, K., 336

García-Austt, E., see Alonso, A., 135
Gardner, J.C. and Cynader, M.S., Mechanisms for binocular depth sensitivity along the vertical meridian of the visual field, 60
Gaykema, R.P.A., see Luiten, P.G.M., 229
Gaztelu, J.M., see Alonso, A., 135
Gerhardt, G.A., Rose, G.M. and Hoffer, B.J., In vivo electrochemical demonstration of potassium-evoked monoamine release from rat cerebellum, 327
Gist, R., see Chen, Y.-F., 15
Grewell, K.M., see Desan, P.H., 344
Gruberg, E.R., see Desan, P.H., 344
Gysling, K., Allard, L.R. and Beinfeld, M.C., Lithium preincubation stimulates the potassium-induced release of cholecystokinin from slices of cerebral cortex and caudate-putamen incubated in vitro, 365

Hall, E.D., Intensive anti-oxidant pretreatment retards motor nerve degeneration, 175
Hama, K., see Kosaka, T., 197
Herreras, O., Solis, J.M., Martin Del Rio, R. and Lerma, J., Characteristics of CA_1 activation through the hippocampal trisynaptic pathway in the unanaesthetized rat, 75
Herz, A., see Przewłocki, R., 213
Hoffer, B.J., see Gerhardt, G.A., 327
Höllt, V., see Przewłocki, R., 213
Hornung, D.E., Youngentob, S.L. and Mozell, M.M., Olfactory mucosa/air partitioning of odorants, 147

Ibayashi, S., see Sadoshima, S., 297
Ide, C., Role of extracellular matrix in the regeneration of a pacinian corpuscle, 155
Inagaki, S., see Kubota, Y., 179
Inoue, H.K., see Shirao, T., 374

Jégou, S., Delbende, C., Tranchand-Bunel, D., Leroux, P. and Vaudry, H., α-Melanocyte-stimulating hormone (α-MSH) release from perifused rat hypothalamic slices, 259
Jiang, C., Wu, Z.-H. and Shen, E., Antidromic mapping of descending axons of respiratory bulbospinal neurons in the nucleus tractus solitarius of the rabbit, 189
Jin, H., see Chen, Y.-F., 15
Jones, H.C., see Keep, R.F., 45

Kano, Y., see Shirao, T., 374
Keep, R.F., Cawkwell, R.D. and Jones, H.C., Choroid plexus structure and function in young rats on a high-potassium diet, 45
Kerr, D.I.B., see Pike, G.K., 388
Kertesz, E., Somoza, G.M., D'Eramo, J.L. and Libertun, C., Further evidence for endogenous hypothalamic serotonergic neurons involved in the cimetidine-induced prolactin release in the rat, 10
Kihara, M., see Kubo, T., 379
Kito, S., see Kubota, Y., 179
Knox, R., see Dickenson, A.H., 36
Kosaka, K., see Kosaka, T., 197
Kosaka, T., Kosaka, K., Hama, K., Wu, J.-Y. and Nagatsu, I., Differential effect of functional olfactory deprivation on the GABAergic and catecholaminergic traits in the rat main olfactory bulb, 197
Kow, L.-M. and Pfaff, D.W., Responses of ventromedial hypothalamic neurons in vitro to norepinephrine: dependence on dose and receptor type, 220
Kubo, T. and Kihara, M., Blood pressure modulation by substance P in the rat nucleus tractus solitarius, 379
Kubota, Y., Inagaki, S., Shimada, S., Kito, S. and Eckenstein, F., Neostriatal cholinergic neurons receive direct synaptic inputs from dopaminergic axons, 179
Kusuda, K., see Sadoshima, S., 297

Lange, A.B., see Orchard, I., 251
Lasoń, W., see Przewłocki, R., 213
Lefebvre, P.P., Rogister, B., Delrec, P., Leprince, P., Selak, I. and Moonen, G., Potassium-induced release of neuronotoxic activity by astrocytes, 120
Lenz, H.J. and Brown, M.R., Central nervous system actions of β-endorphin on gastric acid secretion, 1
Leprince, P., see Lefebvre, P.P., 120
Lerma, J., see Herreras, O., 75
Leroux, P., see Jégou, S., 259
Libertun, C., see Kertesz, E., 10
Lister, R.G., see Nutt, D.J., 193
Luiten, P.G.M., Gaykema, R.P.A., Traber, J. and Spencer Jr., D.G., Cortical projection patterns of magnocellular basal nucleus subdivisions as revealed by anterogradely transported *Phaseolus vulgaris* leucoagglutinin, 229

Majocha, R.E., see Finkelstein, S.P., 267
Martin del Rio, R., see Herreras, O., 75
Matsubara, K., Fukushima, S. and Fukui, Y., A systematic regional study of brain salsolinol levels during and immediately following chronic ethanol ingestion in rats, 336
Matsuzawa, T. and Obara, Y., Amino acid synthesis from ornithine: enzymes and quantitative comparison in brain slices and detached retinas from rats and chicks, 314
Mirmiran, M., see Van Gool, W.A., 384
Mitchell, I.J., see Redgrave, P., 170
Moonen, G., see Lefebvre, P.P., 120
Mozell, M.M., see Hornung, D.E., 147
Müller, H., Williams, L.R. and Varon, S., Nerve regeneration chamber: evaluation of exogenous agents applied by multiple injections, 320
Muramoto, K., see Nishino, H., 302

Nagatsu, I., see Kosaka, T., 197
Nishino, H., Ono, T., Muramoto, K., Fukuda, M. and Sasaki, K., Neuronal activity in the ventral tegmental area (VTA) during motivated bar press feeding in the monkey, 302
Nutt, D.J. and Lister, R.G., The effect of the imidazodiazepine Ro 15-4513 on the anticonvulsant effects of diazepam, sodium pentobarbital and ethanol, 193

Obara, Y., see Matsuzawa, T., 314
Obata, K., see Shirao, T., 374
Olson, A.J., see Finkelstein, S.P., 267
Ono, T., see Nishino, H., 302
Oparil, S., see Chen, Y.-F., 15
Orchard, I. and Lange, A.B., The release of octopamine and proctolin from an insect visceral muscle: effects of high-potassium saline and neural stimulation, 251

Park, D., see De Blas, A.L., 275
Patrini, C., see Rindi, G., 23
Perrone-Bizzozero, N.I., see Finkelstein, S.P., 267
Pfaff, D.W., see Kow, L.-M., 220
Philipp, E. and Pirke, K.-M., Effect of starvation on hypothalamic tyrosine hydroxylase activity in adult male rats, 53
Piazza, P.V., Ferdico, M., Crescimanno, G., Benigno, A. and Amato, G., Inhibitory effect of the ventral tegmental A10 region on the hypothalamic defence reaction: evidence for a possible dopaminergic mediation, 356
Pike, G.K. and Kerr, D.I.B., The influence of temperature upon depolarizing responses of rat isolated vagal nerve to 5-hydroxytryptamine, 388
Pirke, K.-M., see Philipp, E., 53
Plantjé, J.F., Schipper, J., Verheijden, P.F.H.M. and Stoof, J.C., D_2-dopamine receptors regulate the release of [^{3}H]dopamine in rat basal hypothalamus and neurointermediate lobe of the pituitary gland, 205
Porter, L.L., see Sakamoto, T., 360
Przewłocki, R., Lasoń, W., Höllt, V., Silberring, J. and Herz, A., The influence of chronic stress on multiple opioid peptide systems in the rat: pronounced effects upon dynorphin in spinal cord, 213

Redgrave, P., Mitchell, I.J. and Dean, P., Further evidence for segregated output channels from superior colliculus in rat: ipsilateral tecto-pontine and tecto-cuneiform projections have different cells of origin, 170
Reggiani, C., see Rindi, G., 23
Rindi, G., Comincioli, V., Reggiani, C. and Patrini, C., Nervous tissue thiamine metabolism in vivo. III. Influence of ethanol uptake on the dynamics of thiamine and its phosphoesters in different brain regions and sciatic nerve of the rat, 23
Rogister, B., see Lefebvre, P.P., 120
Roques, B.P., see Dickenson, A.J., 36
Rose, G.M., see Gerhardt, G.A., 327

Sadoshima, S., Fujii, K., Kusuda, K., Shiokawa, O., Yao, H., Ibayashi,S. and Fujishima, M., Importance of bilateral sympathetic innervation on cerebral blood flow autoregulation

in the thalamus, 297
Sakamoto, T., Porter, L.L. and Asanuma, H., Long-lasting potentiation of synaptic potentials in the motor cortex produced by stimulation of the sensory cortex in the cat: a basis of motor learning, 360
Salzman, S.K., see Stanton, T.L., 350
Sasaki, K., see Nishino, H., 302
Schauf, C.L., Zonisamide enhances slow sodium inactivation in *Myxicola*, 185
Schipper, J., see Plantjé, J.G., 205
Selak, I., see Lefebvre, P.P., 120
Shen, E., see Jiang, C., 189
Shimada, S., see Kubota, Y., 179
Shiokawa, O., see Sadoshima, S., 297
Shirao, T., Inoue, H.K., Kano, Y. and Obata, K., Localization of a developmentally regulated neuron-specific protein S54 in dendrites as revealed by immunoelectron microscopy, 374
Silberring, J., see Przewłocki, R., 213
Solis, J.M., see Herreras, O., 75
Somoza, G.M., see Kertesz, E., 10
Sørensen, T., Finsen, B. and Zimmer, J., Nerve connnections between mouse and rat hippocampal brain tissue: ultrastructural observations after intracerebral xenografting, 392
Sotelo, C., see De Blas, A.L., 285
Spencer Jr., D.G., see Luiten, P.G.M., 229
Stanton, T.L., Daley III, J.C. and Salzman, S.K., Prolongation of hibernation bout duration by continuous intracerebroventricular infusion of melatonin in hibernating ground squirrels, 350
Stein, E.A., see Blake, M.J., 111
Stoof, J.C., see Plantjé, J.f., 205
Sullivan, A.F., see Dickenson, A.H., 36
Szente, M. and Baranyi, A., Mechanism of aminopyridine-induced ictal seizure activity in the cat neocortex, 368

Thornton, J.E., see Bonneau, M., 104
Traber, J., see Luiten, P.G.M., 229
Tranchand-Bunel, D., see Jégou, S., 259
Tuckett, R.P. and Wei, J.Y., Response to an itch-producing substance in cat. I. Cutaneous receptor populations with myelinated axons, 87
Tuckett, R.P. and Wei, J.Y., Response to an itch-producing substance in cat. II. Cutaneous receptor populations with unmyelinated axons, 95
Tumosa, N., see Famiglietti, E.V., 398

Van Gool, W.A., Witting, W. and Mirmiran, M., Age-related changes in circadian sleep–wakefulness rhythms in male rats isolated from time cues, 384
Varon, S., see Müller, H., 320
Vaudry, H., see Jégou, S., 259
Verheijden, P.F.H.M., see Plantjé, J.F., 205

Wei, J.Y., see Tuckett, R.P., 87
Wei, J.Y., see Tuckett, R.P., 95
Williams, L.R., see Müller, H., 320
Witting, W., see Van Gool, W.A., 384
Wu, J.-Y., see Kosaka, T., 197
Wu, Z.-H., see Jiang, C., 189

Yao, H., see Sadoshima, S., 297
Youngentob, S.L., see Hornung, D.E., 147

Zajac, J.M., see Dickenson, A.H., 36
Zimmer, J., see Sørensen, T., 392